



SECTION I: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier

Product name: Del-Val 600 Silane Siloxane Sealer

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use: Waterproofing agent

1.3 Details of the supplier of the safety data sheet

Company: United Asphalt
237 N. Grove Street
Berlin, NJ 08009
USA

Website: www.unitedasphalt.com

Phone number: (856) 753-9811

1.4 Emergency telephone

Phone number: CHEMTREC - (800) 424-9300

SECTION II: Hazards Identification

2.1 Classification of the substance or mixture

Product description: Mixture

Classification according to 29 CFR 1910.1200

H315: Skin Irritation – Category 2

2.2 GHS label elements



Hazard pictogram(s):

Signal word:

WARNING

Hazard statements:

H315: Causes skin irritation

Precautionary statements

Prevention:

P264: Wash skin thoroughly after handling

P280: Wear protective gloves

Response:

P302 + P352: IF ON SKIN: Wash with plenty of water and soap

P332 + P313: If skin irritation occurs: Get medical advice/attention

P352: Take off contaminated clothing and wash before reuse

2.3 Other hazards which do not result in classification

May cause skin irritation.

SECTION III: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance/Mixture: Mixture

3.2 Hazardous ingredients

Chemical Name	CAS No.	GHS Classification	Concentration
Triethoxyoctylsilane	2943-75-1	Skin Irrit. 2 – H315	20-25%

3.3 Non-hazardous ingredients and impurities

Chemical Name	CAS No.	GHS Classification	Concentration
Water	7732-18-5	Not classified	75-80%

SECTION IV: FIRST AID MEASURES**4.1 Description of first aid measures**

- General advice:** Show this SDS to the doctor in attendance.
First responder needs to protect himself.
Place affected apparel in a sealed bag for subsequent decontamination.
Move out of dangerous area.
- Inhalation:** If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
Consult a physician if necessary.
- Skin contact:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists. Wash contaminated clothing before re-use.
- Eye contact:** Flush eyes with water at least 15 minutes. Seek medical advice.
- Ingestion:** Do not induce vomiting without medical advice. Immediate medical attention is required. If victim is conscious, drink plenty of water and do not leave victim unattended. Vomiting may occur spontaneously. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed.

- Symptoms after ingestion: If substance has been ingested, early endoscopy is recommended to assess mucosa lesions in the esophagus and stomach which may appear.



Symptoms after skin contact:

Skin contact may aggravate existing skin disease.

4.3 Indication of any immediate medical attention and special treatment needed

Note to physician:

If substance has been ingested, early endoscopy is recommended to assess mucosa lesions in the esophagus and stomach which may appear.

SECTION V: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Dry chemical, CO₂, foam, water spray.

Unsuitable extinguishing media: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting: Under fire conditions, will burn.

Hazardous decomposition products: Carbon oxides; silica

5.3 Advice for firefighters

Special protective equipment: Firefighters should wear approved self-contained breathing apparatus and full protective clothing.

Further information: Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION VI: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures.

Wear suitable protective equipment. For further information, see Section VIII "Exposure Controls/Personal Protection".

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system. Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems. Spills should be reported to local agencies.

6.3 Methods and materials for containment and cleanup

Methods of containment: Stop leak if safe to do so.
Dam up with sand or inert earth (do not use combustible materials).

Recovery: Soak up with inert absorbent materials.
Shovel or sweep up.
Keep in suitable, closed container for disposal.
Never return spills to original containers for re-use.

Decontamination/cleaning: Clean contaminated surface thoroughly.
Wash non-recoverable remainder with large amounts of water.
Recover the cleaning water for subsequent disposal.
Decontaminate tools, equipment and personal protective equipment in a segregated area.

Disposal: Dispose of in accordance with local regulations.

6.4 Reference to other sections

See Section VII for Handling and Storage.

SECTION VII: HANDLING AND STORAGE**7.1 Precautions for safe handling of the substance/mixture.**

Technical measures: Provide adequate ventilation.

Advice on safe handling and usage: Avoid contact with skin and eyes.

Hygiene measures: Personal hygiene is an important workplace practice exposure control measure and the following general measures should be taken when working with or handling this material:

- 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Recommended: Plastic drum, plastic materials. Keep container tightly closed in a cool, dry, well-ventilated place. Keep out of reach of children. Keep in properly labeled containers.

To be avoided: Uncoated metals. Keep away from open flames, hot surfaces and sources of ignition.
Keep away from incompatible materials

Storage stability

Storage temperature: 4 - 49°C

7.3 Specific end use(s)

See Section I

SECTION VIII: EXPOSURE CONTROLS/PERSONAL PROTECTION

General comments

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters

Local and general ventilation.

8.2 Exposure controls

Exposure limits:

Substance	OSHA Z1 - Permissible Exposure Limit (PEL)
Ethanol CAS No. 64-17-5	1000 ppm 1900 mg/m ³

Protective measures:

Ensure that eyewash stations and safety showers are close to workstation. Emergency equipment immediately accessible, with instructions for use. Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.

Respiratory protection:

When respirators are required, use approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

Hand protection:

Gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection:

Eye and face protection will vary dependent upon work, environmental conditions and material handling practices. Appropriate approved equipment should be selected for the particular use intended for this material. Eye contact should be prevented through the use of safety glass with side-shields.

Body protection:

Footwear protecting against chemicals; impervious clothing.

Hygiene measures:

Personal hygiene is an important workplace practice exposure control measure and the following general

measures should be taken when working with or handling this material:

- 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

SECTION IX: CHEMICAL AND PHYSICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Form:	Liquid
Color:	White
Odor:	Characteristic
Odor threshold:	No data available
pH:	5.0 – 7.0
Freezing point:	< 0°C
Boiling point:	Not determined
Flashpoint:	> 100°C
Evaporation rate:	Not determined
Flammability:	Not determined
Upper explosive limit:	No data available
Lower explosive limit:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Specific gravity :	> 1.0 g/mL (25°C)
Solubility:	Soluble in water
Partition n-octanol/water:	No data available
Autoignition temperature:	No data available
Thermal decomposition:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available

9.2 Other information

No data available

SECTION X: STABILITY AND REACTIVITY**10.1 Reactivity**

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Carbon oxides. Ethanol in case of hydrolysis

SECTION XI: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Acute toxicity**

Acute oral toxicity:	LD50 > 5,110 mg/kg – Rat By analogy
Acute inhalation toxicity:	LC50 > 22 ppm >4 hr. – Rat
Acute dermal toxicity:	LD50 > 6,730 mg/kg – Rabbit By analogy

Skin corrosion/irritation

Skin irritation:	Rabbit Category 2 irritant By analogy
------------------	---

Serious eye damage/eye irritation

Eye irritation: Rabbit.
 No eye irritation
 By analogy

Respiratory or skin sensitization

Sensitization: No data available

Mutagenicity

Genotoxicity in vitro: No data available
 Genotoxicity in vivo: No data available

Carcinogenicity

Carcinogenicity: No data available

Toxicity for reproduction and development

Toxicity to reproduction/fertility: No data available
 Developmental toxicity/teratogenicity: No data available

SECTION XII: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxic to aquatic plants

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Triethoxyoctylsilane	0.13: 72 h Pseudokirchneriella subcapitata (green algae) mg/L EC50	0.055: 96 h Oncorhynchus mykiss (rainbow trout) mg/L EC50	>1,000: 3h activated sludge mg/L EC50	

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment



No data available

12.6 Other adverse effects

No data available

SECTION XIII: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Advice on disposal: Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate. Please be advised that local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult local regulations regarding proper disposal of this material.

Contaminated containers: Rinse with appropriate solvent. Dispose of contents/container in accordance with local regulations.

SECTION XIV: TRANSPORT INFORMATION

In accordance with the provisions of ADR/RID/ADNR/IMDG/ICAO/IATA

14.1 UN Number

Not classified as dangerous

14.2 Shipping name UN Model

Not applicable

14.3 Transport hazard class

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Other information: No additional information available

14.6 Special precautions for use

No additional information available



14.6.1 Ground transport

No additional information available

14.6.2 Sea transport

No additional information available.

14.6.3 Air transport

No additional information available

14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code

Not applicable.

SECTION XV: REGULATORY INFORMATION

15.1 Safety legislation specific for the substance or mixture

15.1.1 EU-Regulations

No restrictions according to Annex XVII of REACH. Does not contain REACH candidate substances.

15.1.2 National regulations

TSCA:	Not listed
SARA Title III Section 313:	None listed
SARA Title III Section 311/312:	Acute health hazard

15.2 Chemical safety assessment

No information available

SECTION XVI: OTHER INFORMATION

More information

Abbreviations

ADR:	European Agreement Concerning the International Carriage of Dangerous Goods by Road
IMDG:	International Maritime Code for Dangerous Goods
LC50:	Lethal Concentration 50%
LD50:	Lethal Dose 50%
EC50:	Effective Dose 50%
CLP:	Classification, Labelling and Packaging



Safety Data Sheet
In accordance to OSHA Standard 29 CFR 1910.1200

Revision: 1.0 US

Issuing Date: 12/16/2021

13

CAS:	Chemical Abstract Service
RID:	Regulations concerning the International Carriage of Dangerous Goods by Rail
IATA-DGR:	International Air Transport Association Dangerous Goods Regulations
GHS:	Globally Harmonized System (GHS) of Labelling Chemical Products
REACH:	Registration, Evaluation, Authorization and Restriction of Chemical Products
IARC:	International Agency for Research on Cancer
Version:	1.0
Previous version:	Not applicable
Reason for revision:	New SDS

The information in this SDS, to our knowledge, is accurate at the data of publication. This information is intended as a guide for safe handling, use, processing, storage, transportation, disposal and release, and is not to be considered a guarantee or indication of quality. The information relates only to the specific material and may not be valid in combination with other products or used in any process, unless specified in the text.